


## UTILITY SECTOR SIGNS VS



CERTIFICATES 

 2011/65/EU

## UTILITY SECTOR SIGNS VS

### *Technical characteristics*

Material	Polyester film
Halogen Free	yes
Adhesive	yes
Min operating temperature range	-40 °C
Max operating temperature range	130 °C



# UTILITY SECTOR SIGNS VS

## List of products

<b>VS-I80</b>				
Geometric shape			rectangular with rounded corners	
Meaning of the symbol			Multiple symbols	
Type	Height	Length	Pack qty	
VS-I80 268000-D-BULK	70 mm	120 mm	300	
VS-I80 268000	70 mm	120 mm	10	
VS-I80 268000-BULK	70 mm	120 mm	300	
VS-I80 268000-GB	70 mm	120 mm	10	
VS-I80 268000-GB-BULK	70 mm	120 mm	300	
VS-I80 268000-F	70 mm	120 mm	10	
VS-I80 268000-F-BULK	70 mm	120 mm	300	
VS-I80 268000-D	70 mm	120 mm	10	
VS-I80 268000-E	70 mm	120 mm	10	
VS-I80 268000-E-BULK	70 mm	120 mm	300	
VS-I80 268000-P	70 mm	120 mm	10	

<b>VS-I81</b>				
Geometric shape			rectangular with rounded corners	
Meaning of the symbol			Multiple symbols	
Type	Height	Length	Pack qty	
VS-I81 268100	65 mm	131 mm	10	
VS-I81 268101	52 mm	105 mm	10	
VS-I81 268100-GB	65 mm	131 mm	10	
VS-I81 268100-F	65 mm	131 mm	10	
VS-I81 268100-D	65 mm	131 mm	10	
VS-I81 268100-E	65 mm	131 mm	10	
VS-I81 268100-P	65 mm	131 mm	10	

<b>VS-I82</b>				
Geometric shape			rectangular with rounded corners	
Meaning of the symbol			Multiple symbols	
Type	Height	Length	Pack qty	
VS-I82 268200	52 mm	105 mm	10	
VS-I82 268200-BULK	52 mm	105 mm	450	
VS-I82 268201	40 mm	80 mm	10	
VS-I82 268201-BULK	40 mm	80 mm	450	
VS-I82 268200-GB	52 mm	105 mm	10	
VS-I82 268200-GB-BULK	52 mm	105 mm	450	
VS-I82 268200-F	52 mm	105 mm	10	
VS-I82 268200-F-BULK	52 mm	105 mm	450	
VS-I82 268200-D	52 mm	105 mm	10	
VS-I82 268200-E	52 mm	105 mm	10	
VS-I82 268200-E-BULK	52 mm	105 mm	10	
VS-I82 268200-P	52 mm	105 mm	10	











## VS-I83

Geometric shape

rectangular with rounded corners

Meaning of the symbol

Electrical hazard

Type	Height	Length	Pack qty	Printed text	
VS-I83 268300-D-BULK	52 mm	105 mm	450		
VS-I83 268300	52 mm	105 mm	10	ATTENZIONE TOGLIERE TENSIONE PRIMA DI APRIRE LO SPORTELLLO	
VS-I83 268300-BULK	52 mm	105 mm	450		
VS-I83 268301	40 mm	80 mm	10		
VS-I83 268300-GB	52 mm	105 mm	10	WARNING DISCONNECT MAINS BEFORE OPENING THE DOOR	
VS-I83 268300-GB-BULK	52 mm	105 mm	450		
VS-I83 268300-F	52 mm	105 mm	10	ATTENTION METTRE HORS TENSION AVANT D'OUVRIR LA PROTECTION	
VS-I83 268300-D	52 mm	105 mm	10	Achtung Die Spannung vor Öffnen der Tür ausschalten	
VS-I83 268300-E	52 mm	105 mm	10	ATENCIÓN QUITAR TENSIÓN ANTES DE ABRIR LA PUERTECILLA	
VS-I83 268300-P	52 mm	105 mm	10		

## VS-184

Geometric shape

rectangular with rounded corners

Meaning of the symbol

Electrical hazard

Type	Height	Length	Pack qty	Printed text	
VS-184 268400	52 mm	105 mm	10	ATTENZIONE TOGLIERE TENSIONE PRIMA DI RIMUOVERE LA PROTEZIONE	
VS-184 268400-BULK	40 mm	80 mm	450		
VS-184 268401	52 mm	105 mm	10	ATTENZIONE TOGLIERE TENSIONE PRIMA DI RIMUOVERE LA PROTEZIONE	
VS-184 268400-GB	52 mm	105 mm	10		
VS-184 268400-F	52 mm	105 mm	10	ATTENTION METTRE HORS TENSION AVANT D'ENLEVER LA PROTECTION	
VS-184 268400-D	52 mm	105 mm	10	Achtung Die Spannung vor dem Entfernen des Schutzes ausschalten	
VS-184 268400-E	52 mm	105 mm	10	ATENCIÓN APAGUE LA ENERGIA ANTES DE QUITAR LA PROTECCION	
VS-184 268400-P	52 mm	105 mm	10		

## VS-I85

Geometric shape

rectangular with rounded corners

Meaning of the symbol

Electrical hazard

Type	Height	Length	Pack qty	Printed text	
VS-I85 268500-D-BULK	52 mm	105 mm	450		
VS-I85 268500	52 mm	105 mm	10	ATTENZIONE APPARECCHIATURA SOTTO TENSIONE ANCHE A SPORTELLO APERTO	
VS-I85 268500-BULK	52 mm	105 mm	450		
VS-I85 268501	40 mm	80 mm	10		
VS-I85 268500-GB	52 mm	105 mm	10	ATTENTION LIVE EQUIPMENT EVEN WHEN THE DOOR IS OPEN	
VS-I85 268500-GB-BULK	52 mm	105 mm	450		
VS-I85 268500-F	52 mm	105 mm	10	ATTENTION APPAREILLAGE SOUS TENSION MEME AVEC LA PROTECTION OUVERTE	
VS-I85 268500-F-BULK	52 mm	105 mm	450		
VS-I85 268500-D	52 mm	105 mm	10	ACHTUNG! LEBENSGEFAHR AUCH BEI GEÖFFNETER TÜR!	
VS-I85 268500-E	52 mm	105 mm	10	ATENCIÓN EQUIPO BAJO TENSION AUNQUE LA CABINA PERMANEZCA ABIERTA	
VS-I85 268500-E-BULK	52 mm	105 mm	450		
VS-I85 268500-P	52 mm	105 mm	10		

## VS-I114

Geometric shape

rectangular with rounded corners

Meaning of the symbol

Multiple symbols



	Type	Height	Length	Pack qty	
	VS-I114 2611400	70 mm	120 mm	10	