

INTERNAL PLUGS FOR CABLE GLANDS TCP

Polyamide PA6.6

Blanking the cable entry of MAXIblock, MAXIbrass and MAXIinox cable glands and maintaining IP68.




INTERNAL PLUGS FOR CABLE GLANDS TCP

Technical characteristics

Material (Body)

Polyamide PA6.6



INTERNAL PLUGS FOR CABLE GLANDS TCP

List of products

TCP						
Type	Pack qty	Min. pack qty	D	ØB	C	ØA
TCP5	3	100	4.5 mm	8.5 mm	10.8 mm	4.5 mm
TCP10	2,000	100	4.5 mm	12 mm	12 mm	6 mm
TCP12	1,000	100	4.5 mm	12 mm	12 mm	6.8 mm
TCP15	1,500	100	5 mm	11 mm	11.5 mm	8 mm
TCP18	800	100	5 mm	12.5 mm	13 mm	9.5 mm
TCP20	800	100	6 mm	15 mm	14 mm	10 mm
TCP25	400	100	8 mm	17 mm	15 mm	12.5 mm
TCP30	300	100	9 mm	22.5 mm	18 mm	12.5 mm
TCP35	200	100	8 mm	19.5 mm	18 mm	16 mm
TCP40	150	50	9 mm	22.5 mm	19 mm	19 mm
TCP45	100	50	10 mm	30 mm	20 mm	22 mm
TCP50	50	25	12 mm	38 mm	25 mm	27.5 mm
TCP55	50	25	12 mm	36.5 mm	23.5 mm	31.5 mm
TCP60	50	25	12 mm	40 mm	23.5 mm	34.5 mm
TCP65	30	15	12 mm	48 mm	26.5 mm	37.5 mm
TCP70	50	15	12 mm	48 mm	26.5 mm	43 mm

