

SCREWDRIVER WITH 45° ANGLED FLAT HEAD SDCB

with angled head, ideal for terminals, sensors and actuators

The Cembre range of insulated screwdrivers have dual-compound handgrips and an ergonomic design making them particularly practical and comfortable in the following modes of use:

- > Normal
- > Fast
- > Forced



To ensure quick identification, the type and size of the head are indicated in different colours on the back of the handle.

The heads are made from Chromium Molybdenum steel with a hardness of 55-59 HRC and are hardened with Phosphoric Manganese Acid to increase corrosion resistance; the size of the insulating cover allows it to be inserted into tight spaces.

Each individual screwdriver is tested in accordance with **EN 60900**.



SCREWDRIVER WITH 45° ANGLED FLAT HEAD **SDCB**



SCREWDRIVER WITH 45° ANGLED FLAT HEAD SDCB

List of products

SDCB								
Type	Width head	Thickness of the tip	Blade Length	Length	Weight	Material	Colour	Blade type
SDC3.5X55B	3.5 mm	0.55 mm	55 mm	143 mm	29 g	Chromium Molybdenum steel	Black-Blue	flat
SDC2.5X55B	2.5 mm	0.55 mm	55 mm	143 mm	28 g	Chromium Molybdenum steel	Black-Blue	flat